Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(US-3929201-\$ or US-4858866-\$ or US-5544714-\$ or US-4651839-\$ or US-6237676-\$ or US-6000460-\$ or US-4579184-\$ or US-4770234-\$).did. or (JP-2003106787-\$).did.	USPAT; JPO	OR	ON	2005/08/15 22:39
L2	486098	"9" and aluminum	USPAT; JPO	OR	ON	2005/08/15 22:39
L3	1	1 and aluminum	USPAT; JPO	OR	ON	2005/08/15 22:39
L4	6	1 and al	USPAT; JPO	OR	ON	2005/08/15 22:43
L5	3983	aluminum with heat adj exchanger	USPAT; JPO	OR	ON	2005/08/15 22:43
L6	1025	aluminum with heat adj exchanger.ti.	USPAT; JPO	OR	ON	2005/08/15 22:43
S1	8	(165/67 and 165/180).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 20:56
S2	9	(165/67 and 165/905).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 20:56
S3	471	(exchanger or radiator or condenser) with (mount or mounting or bracket) with pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:01
S4	15	(exchanger or radiator or condenser) with (mount or mounting or bracket) with pin with metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:01
S5	54	(exchanger or radiator or condenser) same (mount or mounting or bracket) with pin with metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:10
S6	6	(exchanger or radiator or condenser) same (mount or mounting or bracket) with pin with composite	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:14

S7	69	bimetallic with mounting with pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:11
S8	2	bimetallic with mounting with pin same (radiator or condenser or exchanger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:12
S9	1	bimetallic adj3 mounting adj3 pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:12
S10	7	composite adj3 mounting adj3 pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:12
S11	1	(exchanger or radiator or condenser) same (mount or mounting or bracket) with pin with clad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:18
S12	4	(exchanger or radiator or condenser) same (mount or mounting or bracket) with pin adj2 hollow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:18
S13	18	("0988119" "2755874" "3123170" "3340948").PN. OR ("3929201").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 21:19
S14	24	("1370880" "1660671" "1948193" "2059313" "2912057" "3351309" "3929201" "4196774" "4519467" "4651839").PN. OR ("4858866").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 21:23
S15	248	(180/68.4 or 248/233 or 165/67). ccls. and pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:25
S16	1	(180/68.4 or 248/233 or 165/67). ccls. and pin adj3 metal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:25

S17	127	(180/68.4 or 248/233 or 165/67). ccls. and (mount or mounting or bracket) with pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 21:26
S18	12	("4579184" "5000257" "5566748").PN. OR ("6000460"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 21:30
S19	40	("3121467" "3123170" "3261422" "4066119" "4121682").PN. OR ("4579184"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 21:31